

Color Putty Nailhole Filler by Color Putty Co. Inc.

Since 1963, Quality Products at your Fingertips.

MATERIAL SAFETY DATA SHEET
(INFORMATION SUPPLIED IN ACCORD WITH OSHA FORM 174)

COLOR PUTTY CO., INC.
Effective Date: 01/05/04
Emergency Telephone Number: 608-325-6033
Technical Information Number: 608-325-6033

SECTION 1: PRODUCT IDENTIFICATION
TRADE NAME: COLOR PUTTY NAILHOLE FILLER
MANUFACTURER: Color Putty Co., Inc.
ADDRESS: 121 W. 7th Street
Monroe, WI 53566
TELEPHONE NUMBER: 608-325-6033
FAX NUMBER: 608-325-6397

SECTION 2: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION
IDENTIFIABLE COMPONENTS: CAS # H.S # OSHA PEL ACGIH TLV
None NA NA NA NA

SECTION 3: PHYSICAL/CHEMICAL CHARACTERISTICS
BOILING POINT: NA EVAPORATION RATE: NA
MELTING POINT: NA (Butyl Acetate=1)
SOLUBILITY IN WATER: Insoluble VAPOR PRESSURE: NA
APPEARANCE: Colored putty VAPOR DENSITY: NA
ODOR: Mild SPECIFIC GRAVITY: 2.10

SECTION 4: FIRE AND EXPLOSION HAZARD DATA
FLASH POINT: >200 F SPECIAL FIRE & EXPLOSIVE HAZARDS: None
AUTOIGNITION TEMP: NA LOWER EXPLOSIVE LIMIT: NA
EXTINGUISHING CO2, Foam, UPPER EXPLOSIVE LIMIT: NA
MATERIAL: Dry Chemical, SPECIAL FIREFIGHTING PROCEDURE: None

Color Putty Nailhole Filler by Color Putty Co. Inc.

Water, Fog

SECTION 5: REACTIVITY DATA

STABILITY: Stable

CONDITIONS TO AVOID: NA

INCOMPATIBILITY: None Known

HAZARDOUS DECOMPOSITION PRODUCTS: Normal decomposition products ie. COx, NOx

HAZARDOUS POLYMERIZATION: Will not occur

SECTION 6: HEALTH HAZARD DATA

POTENTIAL HEALTH EFFECTS FROM OVEREXPOSURE:

EYE CONTACT: May cause eye irritation; Flush eyes;
Contact a physican

SKIN CONTACT: NA; Wash with soap & water

INHALATION: NA; Remove to fresh air

INGESTION: May irritate mouth, throat, & stomach;
Do not induce vomiting; Contact a physican

PRIMARY ROUTES OF ENTRY: Skin contact; Inhalation; Ingestion

MEDICAL CONDITIONS WHICH MAY None Known

BE AGGRAVATED BY CONTACT:

SECTION 7: PRECAUTIONS FOR SAFE HANDLING & USE

STEPS TO BE TAKEN IN CASE

MATERIAL IS RELEASED OR SPILLED: Normal; Scoop up product

DISPOSAL: Dispose of in accordance with Federal,
State, and Local regulations.

EPA WASTE CODE: None if discarded (40 CFR 261)

HANDLING INFORMATION: Keep out of reach of children; Avoid prolonged
or repeated skin contact if irritation occurs; Avoid eye contact.

STORAGE INFORMATION: Keep containers tightly sealed when not in use;
Store in a cool area.

OTHER PRECAUTIONS: None

SECTION 8: CONTROL MEASURES

ENGINEERING CONTROLS: Good mechanical ventilation and local exhaust

RESPIRATORY CONTROLS: None required under normal usage and adequate
ventilation

EYE PROTECTION: NA

SKIN PROTECTION: Gloves recommended if irritation occurs.

OTHER PRACTICES & EQUIPMENT: NA

Color Putty Nailhole Filler by Color Putty Co. Inc.

WORK/HYGENIC PRACTICES: Clean hands with soap & water after use.

SECTION 9: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS: AS FOLLOWS --

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200)

SARA SECTION 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

No SARA Section 313 chemicals in this product are to be reported

TOXIC SUBSTANCES CONTROL ACT:

This product contains the following chemical substances subject to the reporting requirements of TSCA 12 (B) if exported from the United States:

No information is available.

NEW JERSEY RIGHT-TO-KNOW:

The following materials are non-hazardous, but among the top five components in this product:

Chemical Name CAS #

Calcium Carbonate Proprietary

Ground Limestone Proprietary

Soybean Oil Proprietary

Paraffinic Oil Proprietary

Titanium Dioxide 13463-67-7

CALIFORNIA PROPOSITION 65:WARNING: The chemical(s) noted below and contained in this product, are known to the state of California to cause cancer, birth defects or other reproductive harm:

No Proposition 65 chemicals are known to exist in this product.

PENNSYLVANNIA RIGHT-TO-KNOW:

The following non-hazardous ingredients are present in the product at greater than 3%:

Chemical Name CAS #

Calcium Carbonate Proprietary

Soybean Oil Proprietary

Paraffinic Oil Proprietary

Color Putty Nailhole Filler by Color Putty Co. Inc.

HMIS RATING: Health: 0 Flammability: 0 Reactivity: 0

NOTICE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, expressed or implied, is given.

Regulatory requirements are subject to change and may differ from one location to another.

It is the buyer's responsibility to ensure that its activities comply with numerous federal, state or provincial, and local laws and regulations.

Color Putty Company, Inc.
P.O. Box 738
Monroe, WI 53566
(608) 325-6033
Fax: (608) 325-6397
E-mail: colputt1@tds.net

Copyright© 1998-2004 - Color Putty Company, Inc. Revised August 5, 2004.