Jul. 22. 2011 4:37PM

ELLO-BRITE

PRODUCT NAME: CARPET SANITIZING CLEANER

PRODUCT CODE: 832 (formerly 2636)

PRODUCT CLASS: ALKALINE CLEANER

MATERIAL SAFETY DATA SHEET

RATINGS: 4-EXTREME 3 SERIOUS 2-SIGNIFICANT 1-SLIGHT O-MINIMUM

@ TEMP

NAP

mm Hg NAP

WEIGHT

PERCENT

1.75

HMIS HAZARD RATING: FLAMMABILITY REACTIVITY 0 PERSONAL PROTECTION B

SECTION I . MANUFACTURER IDENTIFICATION

MANUFACTURER'S NAME: CELLO PROFESSIONAL PRODUCTS ADDRESS: 1354 Old Post Road, Havre de Grace, MD 21078 EMERGENCY PHONE - INFOYRAC 24 HOURS: 800-535-5053

REVISEO: 7/1/06

INFORMATION PHONE: 600-638-4850

SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION VAPOR PRESSURE

REPORYABLE COMPONENTS CAS NUMBER SODIUM METASILICATE, ANHYDROUS 6834-92-0

Indicates toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372.

Indicates hazardous chemical(s) subject to the reporting requirements of section 312 of Title III and of 40 CFR 370.

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

SPECIFIC GRAVITY (H₂O=1): 1.07 BOILING POINT : 190°F VAPOR DENSITY: Heavier than air VAPOR PRESSURE: 26 mm Hg EVAPORATION RATE: Slower than water SOLUBILITY IN WATER: Completely APPEARANCE : Light amber liquid ODOR : Mint

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

VOLATILE: 82.96%

FLASH POINT: >200'F FLASH METHOD: SEYA FLASH FLAMMABLE LIMITS IN AIR BY VOLUME: LOWER: NA

EXTINGUISHING MEDIA: If involved in a fire use foam, CO2, or water log

SPECIAL FIREFIGHTING PROCEDURES: Spray water on cartons involved in five to keep them from typiting. Wear self-contained breathing apparatus due to the possible toxic furnes from plastic containers and or the vaportzation of potentially harmful chemicals. (SEE SECTION II)

UNUSUAL FIRE AND EXPLOSION HAZARDS: Area will become slippery if material is released

SECTION V . REACTIVITY DATA

pH: 129 + 04

CONDITIONS TO AVOID: Extreme heat or flames. Keep from freezing. Avoid contact with aluminum or other soft metals.

INCOMPATIBILITY (MATERIALS TO AVOID): Adds and/or oxidizers.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Nikrogen, Carbon Dioxide, Carbon Monoxide

HAZARDOUS POLYMERIZATION: Will not occur

SECTION VI - HEALTH HAZARD DATA

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE: Moderate witant, may cause headache, nausea, vomiting.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE: Corrostve to skin, could cause bandness if gotten in eyes.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE; Absorption through stdn may cause headache, nausea, dizziness, and verniting

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE: May cause permanent injury by damaging bronchial tract, es ophagus and mucus membranes.

HEALTH HAZARDS (ACUTE AND CHRONIC): Contact with eyes can cause corneal damage. Extended overexposure can cause bidney/liver damage, dizziness, headaches, nauses, vorniting CARCINOGENICITY: NTP CARCINOGEN: No UARC MONOGRAPHS: No OSHA REQULATED: No not listed

CARCINOGENICITY: NTP CARCINOGEN: No LARC MONOGRAPHS: No OSHA REQULATED: No not listed MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: May aggravate existing conditions of dermatitis and / or liver or kidney disorders.

EMERGENCY AND FIRST AID PROCEDURES:

IF IN EYES: Immediately flush with ptenty of warm water for 15 minutes white keeping eyelids apart for maximum krigetion, if kritation persists contact physician.

IF ON SKIM: Wash off with large amounts of soap and water. If inflation persists contact a physician. Wash contaminated clothing before re-use.

IF INHALED: If victim complains of headache, dizzlness or nausea, remove victim to fresh air. If breathing becomes difficult or condition persists, contact a physician.

IF INGESTED: Orink large amounts of fruit juices or vinegar followed by large quantities of mills or egg whites. Oo not induce vomiting. Contact physician. Never give anything by mouth to an unconsclous victim

SECTION VIII - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED; Dike area to contain material. Area may became slippery. Absorb product onto porous material such as sand, diatomaccous

earth or commercial absorbent material. Showel up Into leak proof containers.

WASTE DISPOSAL METHOD: Consult local, state and or federal authorities for proper disposal

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Do not store near ecids, exidizers, alkalies and base metals. Keep from excessive heat and keep from freezing. Do not store near consumables. Keep out of reach of children.

OTHER PRECAUTIONS: Road and follow all directions. Use in a manner consistent with product intent.

SECTION VIII - CONTROL MEASURES

RESPIRATORY PROTECTION: NIOSH approved vapor respirator in the absence of proper environmental control

VENTILATION: Good ventilation is required, in the absence of good ventilation mechanical devices are recommended.

PROTECTIVE GLOVES: Chemical resistant gloves recommended

EYE PROTECTION: Safety spiash goggles recommended OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Source of water for washing is recommended.

WORK/HYGIENIC PRACTICES: Wash hands after use and before eating, drinking, or smoking. Remove contaminated clothing and wash before reuse.

SECTION IX - REGULATORY INFORMATION

ALL INGREDIENTS OF THIS PRODUCT ARE LISTED ON THE US TOXIC SUBSTANCE CONTROL ACT (TSCA) INVENTORY.

This groduct is not a DOT hazardous material. BILL of LADING (all sizes): "Compound, cleaning and/or polishing"

The ingredients from Section II are subject to the following reporting requirements:

NJ - The New Jersey Right-to-Know Hazardous Substance List MA - The Massachusells Hazardous Substance List

PA - The Pennsylvania Hazardous Substance List

SECTION X - DISCLAIMER

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended or implied as to the applicability of this information to the users intended purpose or for the consequences of its use or misuse.