# SAFETY DATA SHEET

Issuing Date 07-May-2013

Revision Date 08-Oct-2013

Revision Number 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier	009
Product Name	DRYLOK FAST PLUG
Other means of identification Synonyms	None
Recommended use of the chemical a	nd restrictions on use
Recommended Use	Cement
Uses advised against	No information available
Details of the supplier of the safety d	ata sheet
Supplier Address United Gilsonite Laboratories 1396 Jefferson Ave. Dunmore PA 18509 US	

Phone:570-344-1202 Fax:570-969-7634 Email:sales@ugl.com Contact Phone:570-344-1202

# Emergency telephone number (800) 424-9300 Chemtrec

# 2. HAZARDS IDENTIFICATION

# **Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Acute toxicity - Oral	Category 4	
Skin corrosion/irritation	Category 2	
Serious eye damage/eye irritation	Category 1	
Skin sensitization	Category 1	
Carcinogenicity	Category 1A	
Specific target organ toxicity (single exposure)	Category 3	
Specific target organ toxicity (repeated exposure)	Category 2	

# GHS Label elements, including precautionary statements

#### **Emergency Overview**

Signal word Danger Hazard statements Harmful if swallowed Causes skin irritation Causes serious eye damage May cause an allergic skin reaction May cause cancer May cause respiratory irritation. May cause drowsiness or dizziness May cause damage to organs through prolonged or repeated exposure Appearance Gray Physical State Powder Solid Odor None

#### **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Contaminated work clothing should not be allowed out of the workplace Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray

#### Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention Specific treatment (see supplemental first aid instructions on this label)

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

#### Skin

IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical advice/attention

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth

#### **Precautionary Statements - Storage**

Store locked up Store in a well-ventilated place. Keep container tightly closed

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not Applicable

#### Other information

Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

Interactions with Other Chemicals No information available.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
Quartz	14808-60-7	40 - 70	*
Portland cement	65997-15-1	40 - 70	*
Calcium hydroxide	1305-62-0	5 - 10	*

\* The exact percentage (concentration) of composition has been withheld as a trade secret

# 4. FIRST AID MEASURES

# First aid measures

General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.	
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if applicable, and continue flushing. Do not rub affected area. Seek immediate medical attention/advice.	
Skin Contact	Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an allergic skin reaction If symptoms persist, call a physician. Do not remove clothing if adhering to skin. If skin has bonded to clothing or other skin NEVER pull the area apart. Allow acetone or warm water to penetrate the bond and gently attempt to move bonded areas without pulling the skin away from bonded area. Consult a physician if necessary.	
Inhalation	Move to fresh air. Get medical attention immediately if symptoms occur.	
Ingestion	Rinse mouth. Clean mouth with water and afterwards drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician.	
Protection of First-aiders	Avoid contact with skin, eyes and clothing. Use personal protective equipment. For personal protection see Section 8.	
Most important symptoms and effect	ts, both acute and delayed	
Most Important Symptoms/Effects	Burning. Itching. Rashes. Hives. Burning sensation.	
Indication of any immediate medical attention and special treatment needed		
Notes to Physician	May cause sensitization of susceptible persons. Treat symptomatically.	

# **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific Hazards Arising from the Chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Uniform Fire Code	T	ensitizer: Solid oxic: Solid :OMBUSTIBLE DUST/POWDER
xplosion Data		

Explosion Data Sensitivity to Mechanical Impact None

Sensitivity to Static Discharge None

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Use persona protective equipment. Evacuate personnel to safe areas.	
Other Information	Refer to protective measures listed in Sections 7 and 8.	
Environmental precautions		
Environmental Precautions Prevent further leakage or spillage if safe to do so.		
Methods and material for containment and cleaning up		
Methods for ContainmentPrevent further leakage or spillage if safe to do so.		
Methods for Cleaning Up Pick up and transfer to properly labeled containers.		

# 7. HANDLING AND STORAGE

# Precautions for safe handling

Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin,
	eyes and clothing. Do not eat, drink or smoke when using this product. Remove and wash
	contaminated clothing before re-use.

#### Conditions for safe storage, including any incompatibilities

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

**Incompatible Products** 

None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Quartz	TWA: 0.025 mg/m <sup>3</sup> respirable fraction	TWA: 0.1 mg/m <sup>3</sup> (vacated)	IDLH: 50 mg/m <sup>3</sup> respirable dust
14808-60-7			TWA: 0.05 mg/m <sup>3</sup> respirable dust
Portland cement 65997-15-1	TWA: 1 mg/m <sup>3</sup> particulate matter containing no asbestos and <1% crystalline silica, respirable fraction	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 10 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust
		(vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction TWA: 50 mppcf <1% Crystalline silica	
Calcium hydroxide 1305-62-0	TWA: 5 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 5 mg/m <sup>3</sup> not in effect as a result of reconsideration	TWA: 5 mg/m <sup>3</sup>

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

#### **Other Exposure Guidelines**

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Appropriate engineering controls

Engineering Measures	Showers Eyewash stations Ventilation systems	
Individual protection measures,	such as personal protective equipment	
Eye/Face Protection	Tightly fitting safety goggles.	
Skin and Body Protection	Wear protective gloves/clothing. Long sleeved clothing. Impervious gloves.	
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.	
Hygiene Measures	Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Avoid contact with skin, eyes and clothing. Wear suitable gloves and eye/face protection. Wash hands before breaks and immediately after handling the product.	

# 9. PHYSICAL AND CHEMICAL PROPERTIES

<u>Physical and Chemical Properties</u> Physical State Appearance Color	Powder Solid Gray No information available	Odor Odor Threshold	None No information available
Property	Values	<b>Remarks/ Method</b>	
рН		None known	
Melting/freezing point	No data available	None known	
Boiling Point/Range		None known	
Flash Point	<b>N I I I I I I</b>	None known	
Evaporation rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limits in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	No data available	None known	
Water Solubility	Dispersable	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/water		None known	
Autoignition temperature	No data available	None known	
Decomposition temperature	No data available	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity	No data available	None known	
Explosive Properties	No data available		
Oxidizing Properties	No data available		
Other Information Softening Point VOC Content (%)	No data available No data available		

# **10. STABILITY AND REACTIVITY**

#### **Reactivity**

No data available.

#### Chemical stability

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

# Conditions to avoid

None known based on information supplied.

#### Incompatible materials

None known based on information supplied.

#### Hazardous Decomposition Products

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

# Product Information

Inhalation	There is no data available for this product. May cause irritation of respiratory tract.
Eye Contact	There is no data available for this product. Expected to be an irritant based on components. May cause redness, itching, and pain. Severely irritating to eyes. Causes serious eye damage. May cause burns. May cause irreversible damage to eyes.
Skin Contact	There is no data available for this product. Expected to be an irritant based on components. Irritating to skin. Prolonged contact may cause redness and irritation.
Ingestion	There is no data available for this product. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May be harmful if swallowed. (based on components)

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Quartz 14808-60-7	= 500 mg/kg (Rat)	-	-
Calcium hydroxide 1305-62-0	= 7340 mg/kg (Rat)	-	-

# Information on toxicological effects

Symptoms	Redness of the skin. May cause redness and tearing of the eyes. Burning. May cause blindness. Itching. Rashes Hives					
Delayed and immediate effects as w	Delayed and immediate effects as well as chronic effects from short and long-term exposure					
Sensitization	No information available.					
Mutagenic Effects	No information available.					
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.					

Chemical Name	ACGIH	IARC	NTP	OSHA
Quartz 14808-60-7	A2	Group 1	Known	X
A2 - Suspected Humar IARC: (International A Group 1 - Carcinogenic NTP: (National Toxici Known - Known Carcin	Agency for Research on Can to Humans ty Program)	cer)		
Reproductive Toxicity	No informatio			
STOT - single exposure	CFR 1910.12 acute exposu toxicology stu found within t other sections	2), this product has been of re. (STOT SE). If this proc dies for this product, but is his product. Detailed subs	luct is a mixture, the classifi s based solely on toxicology	tic target organ toxicity from cation is not based on studies for ingredients rmation may be provided in
STOT - repeated exposure	criteria from t product has b exposure. (S studies for thi this product. I	Causes damage to organs through prolonged or repeated exposure. Based on classification criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.122), this product has been determined to cause systemic target organ toxicity from chronic or repeated exposure. (STOT RE). If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. More detailed substance and/or ingredient information may be provided in the other sections of this SDS		
Chronic Toxicity	Contains a kr exposure may	own or suspected carcino cause permanent damage	gen. Effects from this produ ge to target organs and/or m posure may cause chronic	ay cause chronic conditions
Target Organ Effect Aspiration Hazard		ystem. Eyes. Skin. Gastro	intestinal tract (GI). Lungs.	

#### Numerical measures of toxicity Product Information

# The following values are calculated based on chapter 3.1 of the GHS document ATEmix (oral)

1,239.00 mg/kg

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Harmful to aquatic life

Persistence and Degradability

No information available.

# Bioaccumulation

No information available.

**Other Adverse Effects** 

No information available.

# **13. DISPOSAL CONSIDERATIONS**

## Waste treatment methods

Waste Disposal Methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated Packaging	Do not re-use empty containers.

#### California Hazardous Waste Codes 181

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste	
Calcium hydroxide	Corrosive	
1305-62-0		

# **14. TRANSPORT INFORMATION**

DOT Proper Shipping Name Hazard Class	NOT REGULATED NON REGULATED N/A
<u>TDG</u>	Not regulated
MEX_	Not regulated
ICAO	Not regulated
IATA Proper Shipping Name Hazard Class	Not regulated NON REGULATED N/A
IMDG/IMO Hazard Class	Not regulated N/A
RID	Not regulated
ADR	Not regulated
ADN	Not regulated

# **15. REGULATORY INFORMATION**

#### International Inventories

TSCACompliesDSLAll components are listed either on the DSL or NDSL.

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

# U.S. Federal Regulations

#### SARA 313

<u>SA</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

RA 311/312 Hazard Categories	
Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

#### Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

# **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### U.S. State Regulations

# California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65	
Quartz - 14808-60-7	Carcinogen	

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Calcium hydroxide	X	Х	Х
1305-62-0			
Quartz	X	Х	Х
14808-60-7			
Portland cement	X	Х	Х
65997-15-1			

# International Regulations

Mexico - Grade

Slight risk, Grade 1

Chemical Name	Carcinogen Status	Exposure Limits
Quartz		Mexico: TWA= 0.1 mg/m <sup>3</sup>
Portland cement		Mexico: TWA 10 mg/m <sup>3</sup>
		Mexico: STEL 20 mg/m <sup>3</sup>
Calcium hydroxide		Mexico: TWA 5 mg/m <sup>3</sup>

Canada WHMIS Hazard Class D2A Very toxic materials



# **16. OTHER INFORMATION**

16. OTHER INFORMATION				
NFPA	Health Hazard 3	Flammability 0	Instability 0	Physical and Chemical Hazards -
HMIS Chronic Hazard Star Leger	Health Hazard 3 * nd *Indicates	<b>Flammability</b> 0 a chronic health hazard.	Physical Hazard 0	Personal Protection X
Prepared By	23 British Latham, N	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501		
Issuing Date	07-May-2	013		
Revision Date	08-Oct-20	)13		
Revision Note	No inform	ation available		

# General Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet