Product Name: ENGINE BRITE HEAVY DUTY ENGINE DEGREASER

MSDS No.: EB1

I. Basic Information: NFPA Manufacturer: RADIATOR SPECIALTY COMPANY Address: 600 RADIATOR ROAD Reastivity City, ST Zip: INDIAN TRAIL, NC 28079 Emergency Contact: Rocky Mountain Poision Control Center **Emergency Telephone Number: 303-623-5716** Contact: Robert Geer Information Telephone Number: 704-688-3430 Health Flammability Last Update: 11/16/2005 Reactivity X Liquid Solid **Chemical State:** Gas Pers. Protection **Chemical Type:** Pure X Mixture II. Ingredients: Trade Secret IARC SARA 313 **OSHA ACGIH** Other NTP SUB Z CAS No. **Chemical Name** % Range PEL TLV Limits 111762 2-Butoxyethanol 1-2 25 ppm 25 ppm N/E N/E 78330128 Alkyl Aryl Sulfonate <1 5 mg/m3 124389 Carbon dioxide 1-3 N/AV 5000 ppm **Ethoxylated Nonyl Phenol** N/D 9016459 3-5 N/D 68476346 Petroleum distillate, Aliphatic 80-88 N/E 100 ppm N/E 64742945 Petroleum naphtha 6-9 X N/E N/E 100 ppm III. Hazardous Identification: **Hazard Category:** X Fire **X** Pressure Chronic Reactive **X** Acute **Hazardous Identification Information:** Flammable. Harmful or Fatal if Swallowed. Eye and Skin Irritant. Contents Under Pressure. Level 3 Aerosol IV. First Aid Measures: Route(s) of Entry: Absorption, Eye, Inhalation, and Ingestion.

Health Hazards (Acute and Chronic):

See signs and symptoms below

Signs and Symptoms:

Eye Contact: Irritant. Prolonged contact may cause conjunctivitis. Skin Contact: Irritant. Defatting of tissue, dermatitis may occur.

Inhalation: Irritant to mucous membranes. Repeated exposure may cause narcosis..

Ingestion: HARMFUL OR FATAL IF SWALLOWED.

Medical Conditions Generally Aggravated by Exposure:

None Known

Product Name: ENGINE BRITE HEAVY DUTY ENGINE DEGREASER

MSDS No.: EB1

Emergency and First Aid Procedures:

Eye Contact: Flush eyes with clean water for 15 minutes while lifting eyelids. Get prompt medical attention.

Skin Contact: Wash with soap and water thoroughly. If adverse effects persist, get prompt medical attention. Launder contaminated clothing before reuse.

Inhalation: Remove to fresh air. If breathing becomes difficult give oxygen and get prompt medical attention. If breathing stops, give artificial respiration and get prompt medical attention.

Ingestion: DO NOT INDUCE VOMITING! Call Poison Control Center, physician, or hospital emergency room immediately.

Aspiration of vomitus into the lungs can cause pneumonitis, which can be fatal.

Other Health Warnings:

Vomiting and subsequent aspiration into the lungs may lead to chemical pneumonia and pulmonary edema which is a potentially fatal condition.

V. Fire Fighting Measures:

Flash Point: 165°f Lower Explosive Limit: N/E Upper Explosive Limit: N/E

F.P. Method: TCC

Fire Extinguishing Media: Water Fog, Foam, Carbon Dioxide, Dry Chemical

Special Fire Fighting Procedures:

Wear self-contained positive pressure breathing apparatus and protective clothes. Cool containers with a water fog. Do not use forced water stream as this could cause the fire to spread. Use shield to protect from rupturing and venting containers.

Unusual Fire and Explosion:

At elevated temperatures containers may vent, rupture or burst, even violently

VI. Accidental Release Measures:

Steps to be Taken in Case Material is Released or Spilled:

Eliminate all ignition sources. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Dike or contain spill and absorb with inert materials (sand, sawdust, absorbent sweeping compounds, rags, etc). Using a non-metalic scoop, place contaminated material into an approved chemical waste container. Where possible, vacuum spilled liquid using an explosion proof vacuum to recover material. Prevent run-off to sewers, streams, or other bodies of water. If run-off occurs, notify proper authorities as required that a spill has occured.

VII. Handling and Storage:

Precautions to be Taken:

Handling: Use with adequate ventilation and proper protective equipment.

Do not use near fire, sparks, or flame. Do not puncture or incinerate container.

Store in cool, well ventilated area below 120°F away from heat sources.

Other Precautions:

Avoid contact with eyes. Avoid prolonged or repeated breathing of vapors. If exposure may or does exceed occupational exposure limits, use a NIOSH approved respirator to prevent over-exposure.

VIII. Exposure Controls/Personal Protection:

Ventilation Requirements:

See Section 2 for applicable exposure limits. Use with adequate ventilation. If TLV is exceeded, wear NIOSH approved respirator.

Personal Protective Equipment:

See Section 2 for applicable exposure limits. For prolonged exposure wear protective safety glasses, gloves, and apron.

Product Name: ENGINE BRITE HEAVY DUTY ENGINE DEGREASER

MSDS No.: EB1

IX. Physical and Chemical Properties:

Boiling Point: 305°F Melting Point: N/A

Evaporation Rate (Butyl Acetate = 1): N/D Vapor Pressure (mm Hg.): N/D Specific Gravity (H20 = 1): 0.86000 Vapor Density (AIR = 1): 1.2

Solubility In Water: Emulifies Appearance and Odor: Amber liquid with petroleum odor

Other Information: VOC Content: 18%

X. Stability and Reactivity:

Stability:

Stable

Incompatibility (Materials to Avoid):

Strong oxidizing agents.

Decomposition/By Products:

High temperatures and ignition sources produce products of combustion: carbon monoxide, sulfur-like smoke.

Hazardous Polymerization:

Will not occur.

XI. Toxicological Information:

N/D

XII. Ecological Information:

N/D

XIII. Disposal Considerations:

DISPOSAL: This container may be recycled in aerosol recycling centers when empty. Before offering for recycling, empty the can by using the product according to the label. DO NOT PUNCTURE! If recycling is not available, wrap the container and discard in the trash. Dispose of unused product in accordance with all local, state government and federal laws and regulations.

XIV. Transport Information:

DOT Hazard Class: ORM-D

Shipping Name: Consumer Commodity

XV. Regulatory Information:

See Section 2 for SARA Reportable Chemicals.

USA TSCA: All components of this material are listed on the US TSCA Inventory.

Warning: This product contains a chemical(s) known to the State of California to cause cancer or birth defects or other reproductive

XVI. Other Information:

Product Name: ENGINE BRITE HEAVY DUTY ENGINE DEGREASER

MSDS No.: EB1

Do not used in confined area without proper ventilation. Contact lenses may cause further damage in case of splash into eye. KEEP AWAY FROM CHILDREN AND ANIMALS!

N/E: Not Established N/D: Not Determined N/A: Not Applicable N/AV: Not Available

While Radiator Specialty Company believes this data is accurate as of the revision date, we make no warranty with respect to the data and we expressly disclaim all liability for reliance thereon. The data is offered soley for information, investigation, and verification. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this MSDS. The user is repsonsible for full compliance.