Page 1 of 3

Sanford Corporation 2711 Washington Boulevard Bellwood, IL 60104 Telephone No: Date of Last Revision: Medical Emergency No: 1-800-323-0749 October 15, 2001 1-800-228-5635

### SECTION ONE: PRODUCT INFORMATION

PRODUCT NAME: Academy Oil Colors

**PRODUCT SIZES:** 7.5, 24, 37, and 150 ml

PRODUCT CLASS: Artists' Oil Colors

# **SECTION TWO: HAZARDOUS INGREDIENTS**

INGREDIENTS	CAS#	PEL/TLV	MAX WT.%	NTP	IARC
None					

# SECTION THREE: PHYSICAL AND CHEMICAL CHARACTERISTICS

BOILING POINT: Not determined MELTING POINT: Not determined

VAPOR PRESSURE: Not determined SPECIFIC GRAVITY: Not determined

SPECIFIC VAPOR DENSITY (AIR = 1) Not determined

SOLUBILITY IN WATER: Not determined REACTIVITY IN WATER: Non-reactive

EVAPORATION RATE (BUTYL ACETATE = 1): Not determined

APPEARANCE AND ODOR: Colored paints; oily odor

This Material Safety Data Sheet is applicable for the consumer use of the following products: T001, T023, T024, T039, T061, T115, T134, T146, T156, T162, T168, T171, T172, T203, T205, T211, T244, T249

See MSDS T600-A for the following colors: T076, T095, T310, T312, T313, T318, T320, T321

See MSDS T600-C for the following colors: T212, T232, T248

See MSDS T187 for product T187

#### SECTION FOUR: FIRE AND EXPLOSION INFORMATION

FLASH POINT (METHOD): Not available

FLAMMABILITY LIMITS (% BY VOLUME): LOWER: **UPPER:** Not explosive Not explosive

**EXTINGUISHING MEDIA:** As appropriate for surrounding area.

**FIRE FIGHTING** No special fire fighting procedures required.

PROCEDURES:

**UNUSUAL FIRE AND EXPLOSION HAZARDS:**  Not combustible

#### SECTION FIVE: REACTIVITY DATA

STABILITY: Stable

CONDITIONS TO AVOID: Excessive heat

CHEMICAL

None known INCOMPATIBILITY:

**HAZARDOUS** 

None known **DECOMPOSITION:** 

**HAZARDOUS** 

Will not occur. **POLYMERIZATION:** 

# **SECTION SIX: HEALTH HAZARD DATA**

PERMISSIBLE EXPOSURE LEVEL: See Section Two for component PEL/TLV's.

PRIMARY ROUTES OF ENTRY:

Inhalation: None under normal use conditions.

None under normal use conditions. Skin:

None under normal use conditions. Eye:

None under normal use conditions. Ingestion:

**EFFECTS/SYMPTOMS OF** 

**ACUTE EXPOSURE:** 

None expected.

**EFFECTS/SYMPTOMS OF** 

**CHRONIC EXPOSURE:** 

None expected.

**CARCINOGEN LISTING:** NO NO NO NTP: IARC: OSHA:

See Section Two for components affected.

Page 3 of 3

MEDICAL CONDITIONS USUALLY AGGRAVATED BY OVEREXPOSURE TO THIS PRODUCT:

Unknown

#### **FIRST AID MEASURES:**

**Inhalation:** Not an inhalation hazard.

**Skin:** Wash with soap and water.

Eye: Rinse through with water. If irritation persists, seek medical attention.

**Ingestion:** Seek medical attention.

# SECTION SEVEN: SPILL OR LEAK PROCEDURES

PRECAUTIONS TO BE TAKEN

None

DURING STORAGE/HANDLING:

STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED:

No special spill procedures required.

WASTE DISPOSAL METHOD:

Dispose in accordance with Federal, State, and Local Regulations.

#### SECTION EIGHT: PROTECTIVE EQUIPMENT AND CONTROL MEASURES

RESPIRATORY PROTECTION AND

SPECIAL VENTILATION REQUIREMENTS:

None required.


OTHER PROTECTIVE EQUIPMENT

(GLOVES, GOGGLES, ETC.):

None

**WORK/HYGIENE PRACTICES:** 

Studio hygiene rules should be observed. Wash thoroughly before eating, drinking, or smoking.



Sanford Corporation is a member of The Art and Creative Materials Institute, Inc. This product is certified by the Institute to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D4236 and is labeled with the AP Nontoxic Seal. Products bearing the AP Approved Product Seal of The Art and Creative Materials Institute, Inc. are certified in a program of toxicological evaluation by a medical expert, subject to the approval of the Institute Toxicological Advisory Board, to contain no materials in sufficient quantities to be toxic or injurious to humans, or to cause acute or chronic health problems.

0=Minimal/4=Extreme Hazard