

## CLING SURFACE CO INC -- 765-1397 BALKAMP 16 OZ SPRAY BELT DRESSING -- 9150-00N043245

## ===== Product Identification =====

Product ID:765-1397 BALKAMP 16 OZ SPRAY BELT DRESSING

MSDS Date:07/01/1986

FSC:9150

NIIN:00N043245

MSDS Number: BRRGB

=== Responsible Party ===

Company Name:CLING SURFACE CO INC

Address:1301 EDEN EVANS CTR RD

City:ANGOLA

State:NY

ZIP:14006

Country:US

Info Phone Num:716-549-5400

Emergency Phone Num:716-549-5400

CAGE:CLING

=== Contractor Identification ===

Company Name:CLING SURFACE CO INC

Address:1301 EDEN EVANS CTR RD

City:ANGOLA

State:NY

ZIP:14006

Country:US

Phone:716-549-5400

CAGE:CLING

## ===== Composition/Information on Ingredients =====

Ingred Name:TACKIFIERS; (TACIFIERS)

Fraction by Wt: 38%

OSHA PEL:N/K

ACGIH TLV:N/K

Ingred Name:HEPTANE; (N-HEPTANE)

CAS:142-82-5

RTECS #:MI7700000

Fraction by Wt: 17%

OSHA PEL:500 PPM/500 STEL

ACGIH TLV:400 PPM/500STEL;9293

Ingred Name:METHANE, DICHLORO-; (METHYLENE CHLORIDE)

CAS:75-09-2

RTECS #:PA8050000

Fraction by Wt: 30%

Other REC Limits:100 TLV (MFR)

OSHA PEL:500 PPM;1000, C

ACGIH TLV:50 PPM

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:PROPANE; (PROPANE/ISOBUTANE)

CAS:74-98-6

RTECS #:TX2275000

Fraction by Wt: 15%

OSHA PEL:1000 PPM

ACGIH TLV:SIMPLE ASPHYXIAN

=====  
 ===== Hazards Identification =====  
 =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
 Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES  
 Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO  
 Health Hazards Acute and Chronic:ACUTE: MAY CAUSE DIZZINESS OR, IN  
 EXTREME CASES, ABSENCE OF OXYGEN COULD PRODUCE NARCOSIS.  
 CHLOROCARBON MATERIALS HAVE PRODUCED SENSITIZATION OF MYOCARDIUM TO  
 EPINEPHRINE IN LAB ANIMALS AND COULD HAVE SIMILAR EFT IN HUMANS.  
 ADRENOMIMETICS (E.G., EPINEPHRINE) MAY BE CONTRAINDICATED EXCEPT  
 FOR (EFTS OF OVEREXP)  
 Explanation of Carcinogenicity:METHYLENE CHLORIDE: IARC MONOGRAPHS,  
 SUPPLEMENT, VOL 7, PG 194, 1987: GRP 2B. NTP 6TH ANNUAL REPORT ON  
 (SUPP DATA)  
 Effects of Overexposure:HLTH HAZ: LIFE-SUSTAINING USES IN HUMANS  
 ACUTELY OR CHRONICALLY EXPOSED TO CHLOROCARBONS .

=====  
 ===== First Aid Measures =====  
 =====

First Aid:INHAL: IF UNCON, REMOVE TO FRESH AIR AND CALL A PHYS. EYES:  
 FLUSH IMMED WITH LARGE QTY OF WATER FOR AT LEAST 15 MINUTES. SKIN:  
 FLUSH WITH COPIOUS AMOUNTS OF WATER. CALL MD . INGEST: CALL MD IMME  
 D .

=====  
 ===== Fire Fighting Measures =====  
 =====

Flash Point Method:TOC  
 Flash Point:BELOW 20F  
 Extinguishing Media:WATERFOG, FOAM, CARBON DIOXIDE, OR DRY CHEMICAL.  
 Fire Fighting Procedures:NIOSH/MSHA APPRVD PRESS DEMAND SCBA & FULL  
 PROTECTIVE EQUIPMENT . KEEP CONTRS COOL, USE EQUIP/SHIELDING  
 REQUIRED TO PROTECT AGAINST BURST/VENTING CONTRS.  
 Unusual Fire/Explosion Hazard:AT ELEVATED TEMPERATURES (130F/OVER)  
 CONTAINERS MAY VENT, RUPTURE, OR BURST. THERMAL DECOMPOSITION  
 PRODUCTS MAY INCLUDE HCL AND PHOSGENE .

=====  
 ===== Accidental Release Measures =====  
 =====

Spill Release Procedures:FLUSH WITH LARGE QTY OF WATER, VENTILATE AREA.  
 Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
 ===== Handling and Storage =====  
 =====

Handling and Storage Precautions:DO NOT STORE IN TEMPERATURES ABOVE  
 130F. READ AND FOLLOW CAUTIONS ON PRODUCT LABEL.  
 Other Precautions:NO SMOKING IN AREA OF USE. DO NOT USE IN GENERAL  
 VICINITY OF ARC WELDING, OPEN FLAMES/HOT SURF. HEAT &/OR UV  
 RADIATION MAY CAUSE FROMATION OF HCL AND/OR PHOSGENE .

=====  
 ===== Exposure Controls/Personal Protection =====  
 =====

Respiratory Protection:AVOID BREATHING CONCENTRATED VAPORS/PARTICLES  
 FROM ALL PRODUCTS DESIGNED NOT BE INHALED. USE NIOSH/MSHA APPROVED  
 RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .  
 Ventilation:LOCAL EXHAUST: NORMAL.  
 Protective Gloves:IMPERVIOUS GLOVES .  
 Eye Protection:CHEMICAL SAFETY GOGGLES .  
 Supplemental Safety and Health

EXPLAN OF CARCIN: CARCIN, 1991: ANTICIPATED TO BE CARCINOGEN.

===== Physical/Chemical Properties =====

HCC:V3

Vapor Pres:<130@140F

Vapor Density:HVR/AIR

Solubility in Water:<1%

Appearance and Odor:LIGHT AMBER SOLVENT

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:PRESSURIZED CONTAINERS COULD RUPTURE ABOVE  
103F.

Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE AND  
WATER FROM BURNING. HCL AND PHOSGENE .

===== Disposal Considerations =====

Waste Disposal Methods:DO NOT PUCNTURE/INCINERATE CONTAINERS. GIVE TO  
LCOAL DISPOSAL SERVICE EQUIPPED TO SAFELY HANDLE AND DISPOSE OF  
PRESSURIZED CONTAINERS. DISPOSE OF I/A/W FEDERAL, STATE AND LOCAL  
REGULATIONS .

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.