

Material Safety Data Sheet

SECTION I - Material Identity

SECTION II - Manufacturer's Information

SECTION III - Physical/Chemical Characteristics

SECTION IV - Fire and Explosion Hazard Data

SECTION V - Reactivity Data

SECTION VI - Health Hazard Data

SECTION VII - Precautions for Safe Handling and Use

SECTION VIII - Control Measures

SECTION IX - Label Data

SECTION X - Transportation Data

SECTION XI - Site Specific/Reporting Information

SECTION XII - Ingredients/Identity Information

SECTION I - Material Identity

Item Name

Part Number/Trade Name COLORPLACE (R) SPRAY ENAMEL

(20007-

20018, 20025, 20028, 20036)

National Stock Number 8010L4161932027

CAGE Code 1PFF0
Part Number Indicator A
MSDS Number 191591

HAZ Code B

SECTION II - Manufacturer's Information

Manufacturer Name COLOR PLACE (DIST. WAL-MART

STORES, INC)

City BENTOINVILLE

State AR
Country US
Zip Code 72716

Emergency Phone 216-566-2917 Information Phone 216-566-2902

MSDS Preparer's Information

Date MSDS Prepared/Revised 17APR00
Active Indicator Y

Alternate Vendors

SECTION III - Physical/Chemical Characteristics

Appearance/Odor	AEROSOL PAINT
Boiling Point	<0-395F
Melting Point	NA
Vapor Pressure	NR
Vapor Density	> AIR
Specific Gravity	0.81
Evaporation Rate	> ETHER
Solubility in Water	NA
Percent Volatiles by Volume	94
Container Type	R
Container Pressure Code	2
Temperature Code	4
Product State Code	L

SECTION IV - Fire and Explosion Hazard Data

Flash Point Flash Point Method Lower Explosion Limit Upper Explosion Limit Extinguishing Media	0 PMCC 1.0 12.8 CARBON DIOXIDE, DRY CHEMICAL, FOAM
Special Fire Fighting Procedures	FULL PROTECTIVE EQUIPMENT INCLUDING SCBA SHOULD BE USED. WATER SPRAY MAY BE INEFFECTIVE. IF WATER IS USED, FOG NOZZLES ARE PREFERABLE. WATER MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT PRESSURE BUILD-UP AND POSSIBLE AUTOIGNITION OR EXPLOSION WHEN EXPOSED TO EXTREME HEAT
Unusual Fire/Explosion Hazards	ISOLATE FROM HEAT, ELECTRICAL EQUIPMENT, SPARKS, AND OPEN FLAME. CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT. APPLICATION TO HOT SURFACES REQUIRES SPECIAL PRECAUTIONS. DURING EMERGENCY CONDITIONS OVEREXPOSURE TO DECOMPOSITION PRODUCTS MAY CAUSE A HEALTH HAZARD.

SYMPTOMS MAY NOT BE IMMEDIATELY APPARENT. OBTAIN MEDICAL ATTENTION

SECTION V - Reactivity Data

Stability N/K

Stability Conditions to Avoid NONE KNOWN Materials to Avoid NONE KNOWN

Hazardous Decomposition Products BY FIRE - CARBON DIOXIDE,

CARBON MONOXIDE

Hazardous Polymerization NO

Polymerization Conditions to Avoid WILL NOT OCCUR

SECTION VI - Health Hazard Data

Route of Entry: Skin YES
Route of Entry: Ingestion NO
Route of Entry: Inhalation YES

Health Hazards - Acute and Chronic IRRITATION OF EYES, SKIN AND

RESPIRATORY SYSTEM. MAY CAUSE NERVOUS SYSTEM DEPRESSION. EXTREME OVEREXPOSURE MAY RESULT IN UNCONSCIOUSNESS AND

POSSIBLY DEATH

Carcinogenity: NTP NO

Carcinogenity: IARC POSSIBLE

Carcinogenity: OSHA NO

Explanation of Carcinogenity CARBON BLACK IS LISTED AS

POSSIBLE CARCINOGEN BY IARC

Symptoms of Overexposure [[INHAL] IRRITATION OF

RESPIRATORY SYSTEM. MAY CAUSE NERVOUS SYSTEM DEPRESSION.

EXTREME OVEREXPOSURE MAY
RESULT IN UNCONSCIOUSNESS AND
POSSIBLY DEATH. HEADACHE,
DIZZINESS, NAUSEA, AND LOSS OF

COORDINATION. [EYE/SKIN]

REDNESS AND ITCHING OR BURNING SENSATION MAY INDICATE EYE OR

EXCESSIVE SKIN EXPOSURE

Medical Cond. Aggrevated by Exposure

Emergency/First Aid Procedures

[INHAL] REMOVE FROM EXPOSURE.
RESTORE BREATHING. KEEP WARM

AND QUIET. [SKIN] WASH

AFFECTED AREA THOROUGHLY WITH

SOAP AND WATER. REMOVE
CONTAMINATED CLOTHING AND
LAUNDER BEFORE RE-USE. [EYE]
FLUSH EYES WITH LARGE AMOUNTS
OF WATER FOR 15 MIN. GET MED

ATTEN. [INGEST] NEVER GIVE

ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. DO NOT INDUCE VOMITING. GIVE SEVERAL GLASSES OF WATER. GET MED ATTEN

SECTION VII - Precautions for Safe Handling and Use

Steps if Material Released/Spilled

REMOVE ALL SOURCES OF

IGNITION. VENTILATE AND REMOVE

WITH INERT ABSORBENT

Waste Disposal Method

WASTE FROM THESE PRODUCTS MAY BE HAZARDOUS AS DEFINED UNDER

THE RCRA (40 CFR 261). WASTE

MUST BE TESTED FOR

IGNITABILITY TO DETERMINE THE APPLICABLE EPA HAZARDOUS WASTE NUMBERS. DO NOT INCINERATE.

DEPRESSURIZE CONTAINER.

DISPOSE OF IN ACCORDANCE WITH

FEDERAL, STATE, AND LOCAL

REGULATIONS

Handling and Storage Precautions

KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAME. VAPORS WILL ACCUMULATE READILY AND MAY IGNITE EXPLOSIVELY. DURING USE AND UNTIL ALL VAPORS ARE GONE. KEEP AREA VENTILATED - DO NOT SMOKE. EXTINGUISH ALL FLAMES, PILOT LIGHTS, AND HEATERS. TURN OFF STOVES, ELECTRIC TOOLS, APPLIANCES, ANY OTHER

SOURCE OF IG

Other Precautions

USE APPROVED BONDING AND GROUNDING PROCEDURES. CONTENTS UNDER PRESSURE. HEAT FROM SUNLIGHT, RADIATORS, STOVES, HOT WATER, AND OTHER HEAT SOURCES COULD CAUSE CONTAINER

TO BURST. DO NOT TAKE

INTERNALLY. KEEP OUT OF THE

REACH OF CHILDREN

SECTION VIII - Control Measures

Respiratory Protection

IF PERSONAL EXPSOURE CANNOT BE CONTROLLED BELOW APPLICABLE LIMITS BY VENTILATION, WEAR A PROPERLY FITTED ORGANIC VAPOR/PARTICULATE RESPIRATOR APPROVED BY NIOSH/MSHA FOR PROTECTION AGAINST MATERIALS

Ventilation

LOCAL EXHAUST PREFERABLE.
GENERAL EXHAUST ACCEPTABLE IF
THE EXPOSURE TO MATERIALS IS

MAINTAINED BELOW PEL

Protective Gloves CHEMICAL RESISTANT GLOVES

Eye Protection WEAR SAFETY SPECTACLES WITH UNPERFORATED SIDESHIELDS

ONFERFOR

Other Protective Equipment

Work Hygenic Practices

Supplemental Health/Safety Data

WASH THOROUGHLY AFTER HANDLING

INTENTIONAL MISUSE BY

DELIBERATELY CONCENTRATING AND

INHALING THE CONTENTS CAN BE

HARMFUL OR FATAL

SECTION IX - Label Data

Protect Eye	YES
Protect Skin	YES
Protect Respiratory	YES
Chronic Indicator	YES
Contact Code	SLIGHT
Fire Code	UNKNOWN
Health Code	UNKNOWN
React Code	UNKNOWN
Specific Hazard and Precaution	TARGET ORGANS:

Specific Hazard and Precaution TARGET ORGANS: LIVER, URINARY

SYSTEM, BLOOD FORMING SYSTEM,

CARDIOVASCULAR SYSTEM, REPRODUCTIVE SYSTEM

SECTION X - Transportation Data

SECTION XI - Site Specific/Reporting Information

Volatile	Organic	Compounds	(P/G)	3.92
Volatile	Organic	Compounds	(G/L)	469.7682

SECTION XII - Ingredients/Identity Information

Ingredient #	01
Ingredient Name	PROPANE (15-18%)
CAS Number	74986
Proprietary	NO
Percent	18
<pre>Ingredient #</pre>	02
Ingredient Name	BUTANE (15-17%)
CAS Number	106978

CAS Number 1069
Proprietary NO
Percent 17

```
OSHA PEL
                                           800 PPM
ACGIH TLV
                                           800 PPM
                                           0.3
Ingredient #
Ingredient Name
                                           SOLVENT NAPHTHA (PETROLEUM),
                                           LIGHT ALIPH. (7-15\%)
CAS Number
                                           64742898
Proprietary
                                          NO
Percent
                                           15
OSHA PEL
                                          100 PPM
ACGIH TLV
                                          100 PPM
Ingredient #
                                           04
                                           BENZENE, METHYL- (11-45%)
Ingredient Name
CAS Number
                                           108883
Proprietary
                                          NO
Percent
                                           45
OSHA PEL
                                           100 PPM
ACGIH TLV
                                          100 PPM
Ingredient #
                                           05
                                          BENZENE, 1,3,5-TRIMETHYL- (0-
Ingredient Name
CAS Number
                                          108678
Proprietary
                                          NO
Percent
                                           1
OSHA PEL
                                           25 PPM
ACGIH TLV
                                           25 PPM
Ingredient #
                                           06
Ingredient Name
                                           BENZENE, 1,2,4-TRIMETHYL- (0-
                                           2%)
CAS Number
                                           95636
Proprietary
                                          NO
Percent
                                           2
OSHA PEL
                                           25 PPM
                                           25 PPM
ACGIH TLV
Ingredient #
Ingredient Name
                                          ETHANOL, 2-BUTOXY- (0-3%)
CAS Number
                                           111762
Proprietary
                                          NO
Percent
                                           3
OSHA PEL
                                           25 PPM
ACGIH TLV
                                           25 PPM
Ingredient #
                                           08
                                           2-PROPANONE (6-24%)
Ingredient Name
CAS Number
                                           67641
Proprietary
                                          NO
Percent
                                           24
OSHA PEL
                                           1000 PPM
ACGIH TLV
                                           500 PPM
Ingredient #
                                           09
```

Ingredient Name	*TALC (0-14%)
CAS Number	14807966
Proprietary	NO
Percent	14
OSHA PEL	2 MG/M3
ACGIH TLV	2 MG/M3
Ingredient #	10
Ingredient Name	*TITANIUM DIOXIDE (0-8%)
CAS Number	13463677
Proprietary	NO
Percent	8
OSHA PEL	10 MG/M3
ACGIH TLV	10 MG/M3
Ingredient #	11
Ingredient Name	*CARBON BLACK (0-0.4%)
CAS Number	1333864
Proprietary	NO
Percent	0.4
OSHA PEL	3.5 MG/M3
ACGIH TLV	3.5 MG/M3
Ingredient #	12
Ingredient Name	2-PROPANOL, 1-BUTOXY- (IN 20014 ONLY)
CAS Number	5131668
Proprietary	NO
Percent	2
OSHA PEL	NE
ACGIH TLV	NE
Ingredient #	13
Ingredient Name	* AMORPHOUS PRECIPITATED SILICA (IN 20018 ONLY)
CAS Number	112926008
Proprietary	NO
Percent	2
OSHA PEL	6 MG/M3
ACGIH TLV	10 MG/M3
Ingredient #	14
Ingredient Name	SOLVENT NAPHTHA, PETROLEUM, MEDIUM ALIPH. (IN 20012 ONLY)
CAS Number	64742887
Proprietary	NO
Percent	1
OSHA PEL	100 PPM
ACGIH TLV	100 PPM
Ingredient #	15
Ingredient Name	*BRONZE PIGMENT (IN 20013 ONLY)
CAS Number	1003

Proprietary	NO
Percent	5
OSHA PEL	NE
ACGIH TLV	NE