**XEROX** Material Safety Data Sheet

MSDS No: B-0222 Date: 9/30/82 Revision: 7/23/07

Manufacturer: Telephone #(s) Safety Information: (800) 828-6571

Xerox Corporation Health Emergency: (585) 422-2177

Rochester, N.Y. 14644 Transportation Emergency(Chemtrec): (800) 424-9300

**Section I - Product Identification** 

**Trade Names/Synonyms:** 1075/1090/4050/4090/4250/4450/4530/4650/5388/ **Part No.:** WH: 5R302, 5R327;

5680/5892/DocuTech 90/ DocuPrint 390 Developer FX: 5R307;

RX: 5R90193

Chemical Name: None Cancelled: 5R10, 5R186, 5R300,

5R306,5R423, 5R510, 5R530,

WHMIS Status: This is not a WHMIS controlled product. 5R567, 5R90135

<u>Ingredients (% by wt.)</u> <u>CAS No.</u>

 Iron powder (>95%)
 7439-89-6

 Styrene/acrylate polymer (>4%)
 25213-39-2

 Carbon black (<1%)</td>
 1333-86-4

 Quaternary ammonium salt (<1%)</td>
 123-03-5 and 3843-16-1

Note: Developers labeled 1075/1090/4050/4090/4650 contain only quaternary ammonium salt CAS# 123-03-5 (<5%)

# Section II - Emergency and First Aid

Primary Route of Entry: Symptoms of Overexposure:

Inhalation Minimal respiratory tract irritation may occur as with exposure to large amounts of any non-toxic dust.

Flush with water.

Skin: Medical Conditions Generally Aggravated by Exposure:

Wash with soap and water.

None when used as described by product literature.

**Inhalation:** 

Remove from exposure. Additional Information:

**Ingestion:** None

Dilute stomach contents with several glasses of water.

# Section III - Toxicology and Health Information

This material has been evaluated by Xerox Corporation. The following toxicity data is based on toner only.

Oral LD<sub>50</sub>: >5 g/kg (rats) practically non-toxic. TLV: 10 mg/m<sup>3</sup> (total dust) Dermal LD<sub>50</sub>: >5 g/kg (rabbits) practically non-toxic. PEL: 15 mg/m<sup>3</sup> (total dust)

Inhalation LC<sub>50</sub>: >5 mg/l (rats, 4 hr exposure)practically non-toxic. <sup>1</sup> 5 mg/m<sup>3</sup> (respirable dust)

>20 mg/l (calculated 1 hr exposure) non-poisonous, DOT. STEL: N.E. Not an irritant. Ceiling: N.E.

Skin Sensitization:Not a sensitizer.XEL3:2.5 mg/m³ (total dust)Skin Irritation:Not an irritant.0.4 mg/m³ (respirable dust)

**Human Patch:** Non-irritating, non-sensitizing

Mutagenicity: No mutagenicity detected in Ames, Mouse Lymphoma, CHO/SCE, Micronucleus and 3T3 Transformation Assays.

Carcinogens: None present

**Aquatic LC**<sub>50</sub>:  $>500 \text{ mg/l (rainbow trout)}^2$ 

#### **Additional Information:**

• Teratology (rats): No significant effects on fetal development. Subchronic Inhalation (rats): No adverse effects other than those due to "lung overloading" (defined below).

• The results obtained from a Xerox sponsored Chronic Toner Inhalation Study, demonstrated no lung change in rats for the lowest (1mg/m³) exposure level (i.e. the level most relevant to potential human exposure). A very slight degree of fibrosis was noted in 25% of the animals at the middle (4mg/m³) exposure level, while a slight degree of fibrosis was noted in all the animals at the highest (16mg/m³) exposure level. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged period. This study was conducted using a special test toner to comply with EPA testing protocol. The test toner was ten times more respirable than commercially available Xerox toner, and would not be functionally suitable for Xerox equipment.

<sup>1</sup>Based on testing similar xerographic toner materials. <sup>2</sup>Toners labeled 1075/1090/4050/4090/4650: Aquatic LC<sub>50</sub>>50 mg/l (rainbow trout) <sup>3</sup>XEL-Xerox Exposure Limit N.A. - Not Applicable N.E. -None Established N.D. -Not Determined 600E58300

**XEROX** Trade Name:, 1075/1090/4050/4090/4250/4450/4530/4650/5388/ **MSDS No.:** B-0222

5680/5892/DocuTech 90 /DocuPrint 390 Developer

### Section IV - Physical Data

**Appearance/Odor:** Black granular / faint odor **Softening Range:** 85°C to 100°C

**Boiling Point:** N.A. **Melting Point:** N.D. **Solubility in Water:** Negligible Specific Gravity (H<sub>2</sub>O=1): ~7 **Evaporation Rate:** N.A. Vapor Pressure (mm Hg): N.A. Vapor Density (Air=1): N.A. pH: N.A.

**Volatile:** N.A. % (Wt.) N.A. % (Vol.)

#### Section V - Fire and Explosion Data

Flash Point (Method Used): N.A.

Flammable Limits: LEL: N.A. UEL: N.A. NFPA 704: Health - 0, Fire - 1, Reactivity - 0 Extinguishing Media: Water, foam, dry chemical.

**Special Fire Fighting Procedures:** Avoid inhalation of smoke. Wear protective clothing and self-contained breathing apparatus.

Fire and Explosion Hazards: None

## Section VI -Reactivity Data

Stability: Stable

**Hazardous Polymerization:** Will Not Occur

Hazardous Decomposition Products: Products of combustion may be toxic. Avoid breathing smoke.

**Incompatibility (Materials to Avoid):** None

### **Section VII - Special Protection Information**

Respiratory Protection:None required when used as intended in Xerox equipment.Eye Protection:None required when used as intended in Xerox equipment.Protective Gloves:None required when used as intended in Xerox equipment.

Other: For use other than normal customer - operating procedures (such as in bulk toner

processing facilities), goggles and respirators may be required. For more information,

contact Xerox.

## **Section VIII - Special Precautions**

**Handling and Storage:** None

**Conditions to Avoid:** Avoid prolonged inhalation of excessive dust.

# Section IX- Spill, Leak, and Disposal Procedures

**For Spills or Leakage:** If spilled, sweep up or vacuum.

Waste Disposal Method: This material is not a hazardous waste according to Federal Regulation 40 CFR 261 when disposed.

State and Local waste disposal requirements may however, be more restrictive. Consult with the

appropriate State and Local authorities for specific information.

## Section X - Transportation Information

DOT Proper Shipping Name:N.A. (Not Regulated)ID Number:N.A.Hazard Classification:N.A.Packing Group:N.A.

600E58300